

SECURITY TECHNOLOGY RELIABILITY EXPERIENCE QUALITY SERVICE








P.I. Empresarium C/ Retama, 20-22, Naves 15 y 16 50720 - Zaragoza (Spain) **T +34 976 107 201 •** F +34 976 455 578 info@omnitecsystems.com S omnitecsystems GPS: 41°34'51.2"N 0°49'26.9"W 41.580883, -0.824147




www.omnitecsystems.com




Security and comfort in your hotel

at-Safe-2001 EN









0		Safes
---	--	-------

think safe





think forward

Quality that guarantees customer satisfaction

OMNITEC SYSTEMS has accumulated an experience of more than 25 years developing, manufacturing and commercializing Electronic Locks, Safes and Minibars. Today, **OMNITEC** is one of the most recognized brands in the HOSPITALITY sector, with a guarantee of quality and service on the 5 continents.

A highly specialized team in all areas and a totally market-oriented focus have made it possible for **OMNITEC SYSTEMS** to develop solutions for security and comfort. By connecting this team with the logistics centres in Europe, America and Asia, today we are able to be present in more than 10,000 hotels around the world, including the most prestigious international hotel chains.

Leaps in quality and specialization do not occur by chance. A continuous investment in R+D, guaranteed by our knowledge of the market, has led to **OMNITEC SYSTEMS** being at the forefront of the sector.

We invite you to know the numerous options of **OMNITEC** safes and we are sure that among them, you will find the one that fits your needs, whatever they may be.


technologies to feel safe







Front Door ٠





Exo • Protect • Supra • Safeguard M-Plus • Safeguard Different systems for opening and management for hotels of all categories, from the most technologically advanced to the most functional.

OMNITEC Safes





Sliding Front Top-opening

• Versatility: combining its formats, sizes and technologies, OMNITEC offers a wide range that will fit any installation. • Security: the use of tested quality materials guarantees the security and peace of mind that your guests deserve. • Customized finishes: the different accessories available allow you to configure the safe that best fits your hotel.



EXO BI-MÁSTER

EXO model

Opening via Bluetooth, proximity and numerical code, plus Bluetooth management and maintenance; these are the identifying features of a safe with a high technological DNA.

CONNECTIVITY

Installation, management and maintenance via Bluetooth with a mobile app controlled by the administrator



Single-use random master code

The single-use random master code significantly improves the level of hotel security.

The app generates an emergency code that is used only once to open the safe it was created for.

OMNITEC, international partner for security and performance

general characteristics

00000

A safe that guarantees the security of guests' property and gives you the extra convenience of being able to open it with your smartphone, RFID tag or personal numerical code.

available dimensions

m o d e l	dimensions height x width x depth
standard	200 x 360 x 220 mm
pad	200 x 360 x 270 mm
laptop 15	200 x 430 x 350 mm
laptop 17	200 x 400 x 480 mm
folder	200 x 430 x 400 mm
avant 15	120 x 400 x 350 mm
avant 17	120 x 400 x 480 mm

standard features

- Motorized opening and closing, with 4 to 6 digit customer code, RFID tag and Bluetooth.
- Maintenance and management with Mobile APP:
 - No limit to the number of events recorded
 - Battery level check
 - Set-up of the installation
- Generation of single use master code
- EXO Bi-Master with two code modes: fixed programmable and random single-use opening
- Emergency opening via:
 - Master code
 - Hidden mechanical key
- Different types of codes and Bluetooth authorisations: temporary, single use, permanent and cyclic
- ADA keyboard for the visually impaired
- Low consumption LED interior lighting
- 110° wide opening hinge to insert belongings without risk of damaging them
- Power port for exhausted batteries





optional accessories

- Interior multi-zone socket, with USB option
- Power supply, avoids the use of batteries and minimizes maintenance

specific project options



Change of dimensions

Change of colour, RAL chart

Left opening door







TOP Safe from the OMNITEC range of cutting-edge technology. Incorporates advanced security and management features for superior category hotels.

STATE-OF-THE-ART

Advanced technological functions for hotels with the highest security standards

1888



general characteristics

An electronic safe built of carbon steel, with motorized opening by code and confirmation of code and operation on the LED display. Available in 7 sizes with front, top or front sliding opening.

available dimensions

dimensions height x width x depth
200 x 360 x 220 mm
200 x 360 x 270 mm
200 x 430 x 350 mm
200 x 400 x 480 mm
200 x 430 x 400 mm
120 x 400 x 350 mm
120 x 400 x 480 mm



standard features

- Motorized opening and closing with configurable code of 4 to 6 digits
- Audit trail by software, by control unit and by printer, including room number. Record the last 200 opening events, and opening and closing attempts.


• Emergency opening with:

- X-Máster random code generated by the E-Master software (included), with limited validity of 15 minutes
- The control feeds the mechanism in case of exhausted batteries
- Máster code
- Mechanical key
- Emergency electronic delayed opening
- Braille on keypad, acoustic and visual signals to facilitate operation for persons with visual or hearing disability
- Low consumption LED interior lighting
- Door with opening spring
- 110° wide opening hinge to introduce belongings without risk of damaging them

High performance for the most demanding hotels

The PROTECT model allows you to simply and efficiently manage the security level offered to your guests, all electronically, as well as determining its use as free or under rental agreement.

OMNITEC, international partner for security and performance





optional accessories

- Activation of rent:
 - Software E-Rent: allows management of the rental of the safes by activation and validation codes generated by software
 - Rental activation lock
- Multizone socket and USB base in interior
- Power supply, avoids the use of batteries and minimizes maintenance

specific project options

Change of dimensions

Change of colour, RAL chart



SUPRA model

High-performance electronic safe which guarantees the satisfaction of guests and managers of hotels of all categories.

OPERABILITY

Supra facilitates management of the safe for the hotel, offering high performance to satisfy demanding guests







general characteristics

Modern and elegant, the SUPRA safe stands out for its rubber backlit keypad in blue to facilitate its operation, whatever the room lighting may be. Comfortable and secure for the guest and operable for the hotel, it combines everything necessary for very demanding hotels.

available dimensions

model	dimensions height x width x depth
standard	200 x 360 x 220 mm
pad	200 x 360 x 270 mm
laptop 15	200 x 430 x 350 mm
laptop 17	200 x 400 x 480 mm
folder	200 x 430 x 400 mm

standard features

- Backlit rubber keypad and LED display in blue Motorized opening and closing
- Audit trail on display and with control unit for the last 100 openings and 100 closings, including room number
- Customer code configurable, of 3 to 6 digits
- Emergency opening with:
 - Control unit with Bi-Code function which increases security. The control powers the mechanism in the event that the batteries are exhausted
 - Máster code
 - Mechanical key
- Acoustic and visual signals to facilitate operation for persons with visual or hearing disabilities
- Low consumption LED interior lighting
- Door with opening spring

We combine **security** and speed of management

SUPRA is the appropriate model for hotels that seek a high range safe, fully configurable and simply managed on display or with hand held control unit.

OMNITEC, international partner for security and performance





optional accessories

- Rental activation lock
- Multizone socket and USB base in interior
- Electrical power, avoids the use of batteries and minimizes maintenance

specific project options

110° wide opening



Left opening door



Change of dimensions



Change of colour, RAL chart



Opening with card, Supra-Card model





SAFEGUARD M-PLUS model

The Safeguard M-Plus electronic safe is a multi-use model that is widely established in hotels around the world.

VERSATILITY

Hotels of all categories have relied on Safeguard M-Plus because it is a safe that adapts to their security, operational and aesthetic requirements







general characteristics

Safe with high-visibility display and high security electronics. Easy to operate, with different methods of emergency opening and audit trails to resolve incidents, SAFEGUARD M-PLUS represents versatility in hotel security and comfort.

available dimensions

model	dimensions height x width x depth				
standard	200 x 360 x 220 mm				
pad	200 x 360 x 270 mm				
laptop 15	200 x 430 x 350 mm				
laptop 17	200 x 400 x 480 mm				

standard features

- Motorized opening and closing
- Audit trail on display, and by printer, for the last 100 openings and 100 closings
- Customer code configurable, of 4 digits
- Emergency opening with:
- Máster code
- Mechanical key
- Hand held control unit
- Emergency electronic delayed opening
- Acoustic and visual signals to facilitate operation for persons with visual or hearing disability
- Door with opening spring

specific project options







Security and comfort

SAFEGUARD M-PLUS offers the balance

comfort most requested by guests. The

rental, showing the audit trail on display or

printing audit trails make this a model that adapts to the most usual needs of hotels.

between security, performance and

possibilities of managing the safe in

OMNITEC, international partner for security and performance

for your guests





ACCESSORIE





optional accessories

- Low consumption LED interior lighting
- Rental activation lock
- Multizone socket and USB base in interior
- Electrical power, avoids the use of batteries and minimizes maintenance
- External battery power supply
- Braille on keypad











Offering security to the guests does not have to involve a large investment. OMNITEC presents the Safeguard safe: secure, functional and economical.



A practical and simple safe, without sacrificing the necessary security standards in the hotel







general characteristics

A safe built of steel, with manual opening by code of 3 to 8 digits and mechanical knob. Manufactured in 4 sizes with front opening door, SAFEGUARD adapts to your needs with different available complements.

available dimensions

model	dimensions height x width x depth				
standard	200 x 360 x 220 mm				
pad	200 x 360 x 270 mm				
laptop 15	200 x 430 x 350 mm				
laptop 17	200 x 400 x 480 mm				

standard features

- Opening and closing by code of 3 to 8 digits plus manual knob
- Emergency opening with:
 - Máster code
 - Mechanical key
- Acoustic and visual signals to facilitate operation for persons with visual or hearing disability
- Door with opening spring
- External battery power supply

specific project options





Functionality and security in their rooms

With the SAFEGUARD model you can guarantee the security of your guests' valuables without assuming large investments or undertaking complex installations. Simple in its management and its maintenance, Safeguard provides you

OMNITEC, international partner for security and performance





optional accessories

- Rental activation lock
- Multizone socket and USB base in the interior
- Power supply, avoids the use of batteries and minimizes maintenance
- Braille on keypad



	EXO	PROTECT	SUPRA	SAFEGUARD M-PLUS	SAFEGUARD
characteristics	[
Carbon steel	YES	YES	YES	YES	YES
Steel thickness (mm) Body / Door	2 / 5	2 / 5	2 / 5	2 / 5	1,5 / 4
Display	6	6	6	4	x
Inner led	YES	YES	YES	OP	х
Inner carpet	YES	YES	YES	YES	YES
Alkaline battery (included)	4 AA	4 AA	4 AA	4 AA	4 AA
Fix	Base and Back	Base and Back	Base and Back	Base and Back	Base and Back
Colour	Black	Black	Black	Black	Black
Optional colour	RAL	RAL	RAL	RAL	RAL
Rubber muffler	YES	YES	YES	YES	YES
Left open	OP	OP	OP	OP	Х
Laser cut	OP	OP	OP	OP	OP
Steel bolts	YES	YES	YES	YES	YES
Concealed hinges	YES	YES	YES	YES	YES
Anticorrosive paint	YES	YES	YES	YES	YES
Opening spring	YES	YES	YES	YES	YES
BRAILLE keypad	Х	YES	X	OP	OP

functions					
Closing	Motor	Motor	Motor	Motor	Solenoid + Manual
Opening	Code, RFID, BLE	Code	Code	Code	Code + Knob
PIN code	4 to 6	4 to 6	3 to 6	4	3 to 8
Card opening	RFID	Х	OP	Х	Х
Audit (opening + close)	Unlimited	100 + 100	100 + 100	100 + 100	Х
Emergency open key	YES	YES	YES	YES	YES
Emergency open master code	EX0 BI-MASTER	YES	YES	YES	YES
Acoustic and visual signal	YES	YES	YES	YES	YES
Audit printer	APP	OP	Х	OP	Х
Unit program handle	APP	OP	OP	OP	Х
Rental activation lock	OP	OP	OP	OP	OP
Rental activation code	Х	OP (software E-Rent)	Х	Х	Х
Emergency opening delay	Х	YES	Х	YES	Х
Multizone socket	OP	OP	OP	OP	OP
Power supply	OP	0P	OP	OP	OP
External battery power supply	Powerbank (Not included)	Х	Х	OP	YES

sizes (height x width x depth) mm					
STANDARD (200 x 360 x 220)	YES	YES	YES	YES	YES
PAD (200 x 360 x 270)	YES	YES	YES	YES	YES
LAPTOP 15 (200 x 430 x 350)	YES	YES	YES	YES	YES
LAPTOP 17 (200 x 400 x 480)	YES	YES	YES	YES	YES
FOLDER (200 x 430 x 400)	YES	YES	YES	Х	Х
AVANT 15 (120 x 400 x 350)	YES	YES	Х	Х	Х
AVANT 17 (120 x 400 x 480)	YES	YES	Х	Х	Х
Change of dimensions	OP	OP	OP	OP	OP



International Experience



Iberostar Santa Eulalia 4* Spain Barceló Torre de Madrid 4* Spain Radisson Blu Podil 4* Ukranie Fergus Style Palmanova 4* Spain Crown Paradise Vallarta 5* Mexico Hard Rock Kantenah 5* Mexico Finest Isla Mujeres 5* Spain Hard Rock Hotel Ibiza 5* Spain

(H

REFERENCES

Hilton Tanger 4* Morocco
The Grange Hotel 5* United Kingdom
Hôtel Faidherbe 3* France
Dream Hotel 4* Belgium
Hotel Dina Morgabine 3* Reunion
Hotel Africa Jade 4* Tunisia
Heston Hide Hotel 4* United Kingdom
Santa Catalina 5* Spain